EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	678	email and (encrypt$3 or encod$3) with stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:54
S4	23	email and (encrypt$3 or encod$3) with only near2 stor $3 and @ad<="20010508"	USPAT	OR	OFF	2007/11/15 13:19
S5	0	email with (encrypt$3 or encod$3) with only near2 stor $3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S6	0	email same (encrypt$3 or encod$3) with only near2 stor $3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S7	0	email same (encrypt$3 or encod$3) with only near4 stor $3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:57
S8	3	email same (encrypt$3 or encod$3) with only with stor $3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:01
S9	77	email and (encrypt$3 or encod$3) with only with stor $3 and @ad<="20010508"	USPAT	OR	OFF	2007/04/05 17:28
S10	23	email and (encrypt$3 or encod$3) with only near2 stor $3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:09
S11	26	email with (encrypt$3 or encod$3) with stor$3 and @ad="20010508"	USPAT	OR	OFF	2005/06/27 10:34
S12	26	email with (encrypt$3 or encod$3) with (stor$3 or sav $3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:35
S13	1	email with (encrypt$3 or encod$3) with (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:49
S14	780	send$3 and receiv$3 and (encrypt$3 or encod$3) with (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S15	217	send$3 and receiv$3 and (encrypt$3 or encod$3) near2 (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S16	18	send$3 and receiv$3 and (encrypt$3 or encod$3) near2 (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 08:58

S17	1	send$3 and receiv$3 and (decrypt$3 with (encrypt$3 or encod$3)) near2 (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S18	1	(decrypt$3 with (re-encrypt $3 or re-encod$3)) near2 (sav $3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S19	1	(decrypt$3 with (re-encrypt $3 or re-encod$3)) near5 (sav $3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S20	1	(decrypt$3 with (re-encrypt $3 or re-encod$3))with (sav $3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S21	19	(decrypt$3 with (re-encrypt $3 or re-encod$3))same (sav $3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:11
S22	0	(email same decrypt$3 with (re-encrypt$3 or re-encod$3)) same (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 12:11
S23	19	(decrypt$3 with (re-encrypt $3 or re-encod$3))same (sav $3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S24	1	(decrypt$3 with (re-encrypt $3 or re-encod$3))near2 (sav $3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S25	1	(decrypt$3 with (re-encrypt $3 or re-encod$3))with (sav $3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S26	20	(decrypt$3 with (encrypt$3 or encod$3))with (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S27	0	(email same (decrypt$3 with (encrypt$3 or encod$3))with (sav$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:15
S28	7	(email same (decrypt$3 with (encrypt$3 or encod$3))with (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24

S29	74	(email same ((cipher$3 encrypt$3 or encod$3))with (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24
S30	74	(email same ((cipher$3 or encrypt$3 or encod$3))with (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S31	0	(email same ((cipher$3)) near4 (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S32	10	(email same ((encode$3)) near4 (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
S33	3	(recei$5 same email same ((encode$3))near4 (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
S34	77	email and (encrypt$3 with sav $3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S35	0	email and (encrypt$3 with sav $3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S36	0	email and (encrypt$3 with store$3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S37	12	email and (encrypt$3 with store$3 near1 messages) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:42
S38	2	("20020136410").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 18:43
S39	0	("2001001458").PN.	USPAT; USOCR	OR	OFF	2006/02/01 11:44
S40	0	("2001001458").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:44
S41	1	("20010014158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:08

S42	1	("6721784").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:10
S43	20773088	email$3 and (encrypt$3 with local) @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S44	137	email$3 and (encrypt$3 with local) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S45	24	email$3 and (encrypt$3 with local with sav$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:18
S46	50	email$3 and (encrypt$3 with local with stor$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:34
S47	4	(encrypt$3 with local with stor $3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:38
S48	0	(encodi$3 with local with stor $3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:17
S49	1	("6,625,734").PN.	USPAT; USOCR	OR	OFF	2006/02/01 13:17
S50	2	("6721784").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 16:59
S51	2	("6625734").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13
S52	2	("6590887").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13
S53	2	("6697422").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:14

S54	2	("5249220").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:15
S55	2	("5844922").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:17
S56	2	("5859594").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S57	2	("6539118").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S58	619	(character$3 with encod$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:28
S59	47	((select$3 choos$3 evaluat $4) with character$3 with encod$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S60	76	((select$3 choos$3 evaluat $4) with character$3 with encod$3 with formats)".a.b" and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S61	47	((select$3 choos$3 evaluat $4) with character$3 with encod$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S62	6	((select$3 choos$3 evaluat $4) with character$3 with encod$3 with formats) .ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:31
S63	2	((select$3 choos$3 evaluat $4) with character$3 with encod$3 with formats) and text adj1 messages and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 11:58
S64	2	("20040221032").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 11:58

S65	3127	recipient$3 with (encrypt$3 encod$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:20
S66	733	recipient$3 near2(encrypt$3 encod$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:20
S67	94	(recipient$3 near2(encrypt$3 encod$3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:25
S68	0	(recipient$3 near2(re-encrypt $3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:25
S69	10	(recipient$3 with (re-encrypt $3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:31
S70	4	(recipient$3 near2 (re-encrypt $3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:35
S71	5	(receivers near2 (re-encrypt $3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S72	0	(receivers near2 (reencrypt $3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S73	9	(receivers near4 (re-encrypt $3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S74	1	(receivers near4 (re-encrypt $3) with stor$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S75	1	(receivers near4 (re-encrypt $3) same stor$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41

S76	0	(receivers near4 (re-encrypt $3) with mail) and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S77	0	(recipient$4 near4 (re-encrypt $3) with mail) and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S78	2	(recipient$4 near4 (re-encrypt $3) with email) and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S79	0	((re-encrypt$3) near2 stor$4 with email) and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S80	0	((re-encrypt$3) near3 stor$4 with email) and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S81	165	((re-encrypt$3) near3 stor $4) and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S82	11	((re-encrypt$3) near3 stor $4) and email and @ad< = "20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S83	22	(stor$5 with encrypt$4 near4 (email$1 e-mail$1)) and @ad< = "20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 07:57
S84	6	((recipient$1 viewer$1 receiver$1) with stor$5 with encrypt$4 near4 (email$1 e-mail$1)) and @ad< = "20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:03
S85	2	((recipient$1 viewer$1 receiver$1)with re-encrypt$4 near4 (email$1 e-mail$1)) and @ad< = "20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05

S86	0	((recipient$1 viewer$1 receiver$1)same re-encrypt $4 near4 (email$1 e-mail$1) near4 stor$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05
S87	0	(re-encrypt$4 near4 (email$1 e-mail$1) near4 stor$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05
S88	10147	(re-encrypt$4 near$4 (email $1 e-mail$1) near$4 stor$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S89	0	(re-encrypt$4 with (email$1 e-mail$1) with stor$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S90	0	(re-encrypt$4 with (email$1 e-mail$1 mails) with stor$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S91	12	(re-encrypt$4 same (email$1 e-mail$1 mails) with stor$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:07
S92	13	(re-encrypt$4 near4 stor$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:38
S93	48	(confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:38
S94	2	((select$4 choos$4) with confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:39
S95	2	(email with confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42
S96	2	(email same confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42

S97	48	(email and confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42
S98	6	(email and (confidential with levels with (restrict$4 limit $4))) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:43
S99	0	(email with confidentia$4 with (modif$4 manipulat$4)) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/18 22:45
S100	0	((email$3 e-mail$3) with confidentia$4 with (modif$4 manipulat$4)) and @ad<="20010508"	USPAT	OR	OFF	2007/11/18 22:46
S101	0	((email$3 e-mail$3) with levels with (modif$4 manipulat$4)) and @ad<="20010508"	USPAT	OR	OFF	2007/11/18 22:46
S102	9	((email$3 e-mail$3) with levels with (modify manipulat $4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 22:55
S103	13	((email$3 e-mail$3) with (confidential$3 secure$3 privac$4) with (modify manipulat$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:54
S104	5	"6766458"	USPAT	OR	OFF	2007/11/19 08:56
S105	1	("6766458").PN.	USPAT; USOCR	OR	OFF	2007/11/19 08:57
S106	1	("6877137").PN.	USPAT; USOCR	OR	OFF	2007/11/19 08:58
S107	0	("20030046533").PN.	USPAT; USOCR	OR	OFF	2007/11/19 08:58
S108	2	("20030046533").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 08:58
S109	1	(confident$4 near2 levels) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 09:00
S110	7	(confident$4 with levels) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 09:09

S111	132	(confident$4 with levels) and @ad<="20010508" and (email$1 e-mail$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 09:09
S112	9	(confident$4 with levels) same (email$1 e-mail$1) and @ad<="20010508"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 10:50
S113	1	("7039951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 11:30
S114	0	("20030046533").PN.	USPAT; USOCR	OR	OFF	2007/11/19 11:30
S115	2	("20030046533").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:30
S116	0	((email$3 e-mail$3) with (decript$ with password$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:55
S117	45	((email$3 e-mail$3) with (descript$ with password$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S118	5	((email$3 e-mail$3) with (descript$ with password$1)) and (promp$4 with password $1) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:57
S119	0	((email$3 e-mail$3) with (descript$ with enter$3 near keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:57
S120	1	((email$3 e-mail$3) with (descript$ with enter$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58
S121	0	((email$3 e-mail$3) with (descrypt$ with enter$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58
S122	0	((email$3 e-mail$3) with (decrypt$ with enter$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58

S123	1	((email$3 e-mail$3) with (decrypt$ with promp$3 near4 keys) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:30
S124	1	("7,039,951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 13:30
S125	0	((confident$4) with (descryp $4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S126	233	((confident$4) with (decrypt $4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S127	5	((confident$4) with levels with (decrypt$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:36
S128	0	((confident$4) with levels same (decrypt$4) with (email $1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:36
S129	0	((confident$4) same levels same (decrypt$4) with (email $1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:37
S130	4	((confident$4) same (decrypt $4) with (email$1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S131	27	((confident$4) same (decrypt $4) same (email$1 e-mail $1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S132	0	((confident$4)with levels same (decrypt$4) same (email$1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S133	0	((confident$4)with satisf$ same (decrypt$4) same (email$1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:39

S134	6	((confident$4) with (decrypt $4) same (email$1 e-mail $1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:41
S135	0	((privacy$4) with levels with (decrypt$4) same (email$1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:41
S136	6	(levels with (decrypt$4) same (email$1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:51
S137	4	(select$4 choos$4) near2 (confident$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:53
S138	0	display$4 with (select$4 choos$4) with (confident$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:54
S139	1	display$4 same (select$4 choos$4) with (confident$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:55
S140	5	display$4 same (select$4 choos$4) same (confident$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S141	1	display$4 with (confident$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S142	28	display$4 with (confident$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S143	1	display$4 with select$3 with (confident$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S144	0	interfaces with select$3 with (confident$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:58

S145	32	select$3 with(confident$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:58
S146	6	(options with manipulat$ with (email$1 e-mail$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:12
S147	1	("5940591").PN.	USPAT; USOCR	OR	OFF	2007/11/19 17:12
S148	1	("5940591").PN.	USPAT; USOCR	OR	OFF	2007/11/19 17:13
S149	1	("7039951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 17:13
S150	1	("6,721,784").PN.	USPAT; USOCR	OR	OFF	2008/04/16 14:24
S151	183	email and (restrict$4 with modif$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:25
S152	1	email same (restrict$4 with modif$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:26
S153	3	email same (restrict$4 with (modif$4 edit$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:26
S154	1202	email same ((modif$4 edit $4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35
S155	451	email with((modif$4 edit$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35
S156	21	email with((modif$4 edit$4)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35
S157	0	email same prevent$4 near4 ((modif$4 edit$4)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:35

S158	6	email same prevent$4 near4 ((modif$4 edit$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/16 14:36
S159	3	(("7039951") or ("6721784") or ("6941454")).PN.	USPAT; USOCR	OR	OFF	2008/04/16 14:43
S160	3	email and confidential same (prevent$4 limit$4 avoid restrict$4) near4((modif$4 edit$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:05
S161	10	email and confidential$4 same (prevent$4 limit$4 avoid restrict$4) near4 ((modif$4 edit$4 chang$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:08
S162	252	email and confidential$4 same ((modif$4 edit$4 chang $4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:11
S163	13	email same confidential$4 same ((modif$4 edit$4 chang $4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:11
S164	2881026	electronic confidential$4 same ((modif$4 edit$4 chang $4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:48
S165	220	electronic same confidential $4 same ((modif$4 edit$4 chang$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:48
S166	14	(electronic same confidential $4 same ((modif$4 edit$4 chang$4))).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:48
S167	27	(electronic same confidential $4 same ((modif$4 edit$4 chang$4)))same levels and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 11:52
S168	1	("6941454").PN.	USPAT; USOCR	OR	OFF	2008/04/17 13:38
S169	1	("20020099777").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/17 13:51

S170	3	(electronic same confidential $4 with((modif$4 edit$4 chang$4)))same levels and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:24
S171	9	(confidential$4 near3 levels with(modif$4 edit$4 chang $4))and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 14:31
S172	20	(confidential$4 near3 levels same (modif$4 edit$4 chang $4))and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:07
S173	11	(confidential$4 near3 levels same (modif$4 edit$4))and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:07
S174	19	(confidential$4 with levels same (modif$4 edit$4))and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:09
S175	37	(confidential$4 near4 (modif $4 edit$4))and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:36
S176	1	(confidential$4 near7 protect near4 (modif$4 edit$4))and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:37
S177	1	("6144991").PN.	USPAT; USOCR	OR	OFF	2008/04/21 13:56
S178	1	("6983421").PN.	USPAT; USOCR	OR	OFF	2008/04/21 14:43
S179	1	("20030110416").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/21 14:57
S180	1	("20030110416").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/22 15:28
S181	1	("6983421").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/22 15:50
S182	1	("6144991").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/22 15:52